



| BRIDGE LENGTH (L) | RUNWAY LENGTH | TS                                 | MODEL NUMBER                      | TRACK MAT. | RUNWAY  |        |        | BRIDGE |        |        |        |            |            | SUPPORT STRUCTURE |      |     |  |
|-------------------|---------------|------------------------------------|-----------------------------------|------------|---------|--------|--------|--------|--------|--------|--------|------------|------------|-------------------|------|-----|--|
|                   |               |                                    |                                   |            | MAX. L1 | L7 in  | L8 in  | H3 in  | H3A in | H4 in  | L3 in  | L6 in      | OAW        | OAH               | D in | Spd |  |
| 23'               | 12'           | 10'                                | GLCS-FS-4000-23 (S or AL)-23-10   | Steel      | 20'     | 9      | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-4-1/2" | 13'-0-1/8"        | 6    | 2   |  |
|                   |               | 12'                                | GLCS-FS-4000-23 (S or AL)-23-12   | Steel      | 20'     | 9      | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 15'-0-1/8"        | 7    | 2   |  |
|                   |               | 14'                                | GLCS-FS-4000-23 (S or AL)-23-14   | Steel      | 20'     | 9      | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 17'-0-1/8"        | 7    | 2   |  |
|                   | 12'           | 10'                                | GLCSL-FS-4000-23 (S or AL)-28-10  | Steel      | 25'     | 13     | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-4-1/2" | 13'-2-1/8"        | 6    | 2   |  |
|                   |               | 12'                                | GLCSL-FS-4000-23 (S or AL)-28-12  | Steel      | 25'     | 13     | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 15'-2-1/8"        | 7    | 2   |  |
|                   |               | 14'                                | GLCSL-FS-4000-23 (S or AL)-28-14  | Steel      | 25'     | 13     | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 17'-2-1/8"        | 7    | 2   |  |
|                   | 12'           | 10'                                | GLCS-FS-4000-23 (S or AL)-33-10   | Steel      | 20'     | 13     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-4-1/2" | 13'-0-1/8"        | 6    | 3   |  |
|                   |               | 12'                                | GLCS-FS-4000-23 (S or AL)-33-12   | Steel      | 20'     | 13     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 15'-0-1/8"        | 7    | 3   |  |
|                   |               | 14'                                | GLCS-FS-4000-23 (S or AL)-33-14   | Steel      | 20'     | 13     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 17'-0-1/8"        | 7    | 3   |  |
|                   | 12'           | 10'                                | GLCSLX-FS-4000-23 (S or AL)-34-10 | Steel      | 30'     | 13     | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 13'-4-1/8"        | 6    | 2   |  |
|                   |               | 12'                                | GLCSLX-FS-4000-23 (S or AL)-34-12 | Steel      | 30'     | 13     | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 15'-4-1/8"        | 7    | 2   |  |
|                   |               | 14'                                | GLCSLX-FS-4000-23 (S or AL)-34-14 | Steel      | 30'     | 13     | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 17'-4-1/8"        | 7    | 2   |  |
|                   | 12'           | 10'                                | GLCS-FS-4000-23 (S or AL)-43-10   | Steel      | 20'     | 19     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-4-1/2" | 13'-0-1/8"        | 6    | 3   |  |
|                   |               | 12'                                | GLCS-FS-4000-23 (S or AL)-43-12   | Steel      | 20'     | 19     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 15'-0-1/8"        | 7    | 3   |  |
|                   |               | 14'                                | GLCS-FS-4000-23 (S or AL)-43-14   | Steel      | 20'     | 19     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 17'-0-1/8"        | 7    | 3   |  |
|                   | 12'           | 10'                                | GLCS-FS-4000-23 (S or AL)-53-10   | Steel      | 20'     | 19     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-4-1/2" | 13'-0-1/8"        | 6    | 4   |  |
|                   |               | 10'                                | GLCSL-FS-4000-23 (S or AL)-53-10  | Steel      | 25'     | 19     | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-4-1/2" | 13'-2-1/8"        | 6    | 3   |  |
|                   |               | 12'                                | GLCS-FS-4000-23 (S or AL)-53-12   | Steel      | 20'     | 19     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 15'-0-1/8"        | 7    | 4   |  |
|                   |               | 12'                                | GLCSL-FS-4000-23 (S or AL)-53-12  | Steel      | 25'     | 19     | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 15'-2-1/8"        | 7    | 3   |  |
|                   | 12'           | 10'                                | GLCS-FS-4000-23 (S or AL)-53-14   | Steel      | 20'     | 19     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 17'-0-1/8"        | 7    | 4   |  |
|                   |               | 10'                                | GLCSL-FS-4000-23 (S or AL)-53-14  | Steel      | 25'     | 19     | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 17'-2-1/8"        | 7    | 3   |  |
|                   |               | 12'                                | GLCS-FS-4000-23 (S or AL)-63-10   | Steel      | 20'     | 26     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-4-1/2" | 13'-0-1/8"        | 6    | 4   |  |
|                   |               | 12'                                | GLCS-FS-4000-23 (S or AL)-63-12   | Steel      | 20'     | 26     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 15'-0-1/8"        | 7    | 4   |  |
|                   | 12'           | 10'                                | GLCS-FS-4000-23 (S or AL)-63-14   | Steel      | 20'     | 26     | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2     | 25'-5-1/2" | 17'-0-1/8"        | 7    | 4   |  |
| 12'               |               | GLCSLX-FS-4000-23 (S or AL)-64-10  | Steel                             | 30'        | 36      | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 13'-4-1/8" | 6                 | 3    |     |  |
| 12'               |               | GLCSLX-FS-4000-23 (S or AL)-64-12  | Steel                             | 30'        | 36      | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 15'-4-1/8" | 7                 | 3    |     |  |
| 12'               | 10'           | GLCSLX-FS-4000-23 (S or AL)-64-14  | Steel                             | 30'        | 36      | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 17'-4-1/8" | 7                 | 3    |     |  |
|                   | 12'           | GLCSL-FS-4000-23 (S or AL)-78-10   | Steel                             | 25'        | 46      | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-4-1/2" | 13'-2-1/8" | 6                 | 4    |     |  |
|                   | 12'           | GLCSL-FS-4000-23 (S or AL)-78-12   | Steel                             | 25'        | 46      | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 15'-2-1/8" | 7                 | 4    |     |  |
| 12'               | 10'           | GLCSL-FS-4000-23 (S or AL)-78-14   | Steel                             | 25'        | 46      | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 17'-2-1/8" | 7                 | 4    |     |  |
|                   | 12'           | GLCS-FS-4000-23 (S or AL)-83-10    | Steel                             | 20'        | 46      | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-4-1/2" | 13'-0-1/8" | 6                 | 5    |     |  |
|                   | 12'           | GLCS-FS-4000-23 (S or AL)-83-12    | Steel                             | 20'        | 46      | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 15'-0-1/8" | 7                 | 5    |     |  |
| 12'               | 10'           | GLCS-FS-4000-23 (S or AL)-83-14    | Steel                             | 20'        | 46      | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 17'-0-1/8" | 7                 | 5    |     |  |
|                   | 12'           | GLCSLX-FS-4000-23 (S or AL)-94-10  | Steel                             | 30'        | 54      | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 13'-4-1/8" | 6                 | 4    |     |  |
|                   | 12'           | GLCSLX-FS-4000-23 (S or AL)-94-12  | Steel                             | 30'        | 54      | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 15'-4-1/8" | 7                 | 4    |     |  |
| 12'               | 10'           | GLCSLX-FS-4000-23 (S or AL)-94-14  | Steel                             | 30'        | 54      | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 17'-4-1/8" | 7                 | 4    |     |  |
|                   | 10'           | GLCS-FS-4000-23 (S or AL)-103-10   | Steel                             | 20'        | 54      | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-4-1/2" | 13'-0-1/8" | 6                 | 6    |     |  |
|                   | 10'           | GLCSL-FS-4000-23 (S or AL)-103-10  | Steel                             | 25'        | 54      | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-4-1/2" | 13'-2-1/8" | 6                 | 5    |     |  |
| 12'               | 10'           | GLCS-FS-4000-23 (S or AL)-103-12   | Steel                             | 20'        | 54      | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 15'-0-1/8" | 7                 | 6    |     |  |
|                   | 10'           | GLCSL-FS-4000-23 (S or AL)-103-12  | Steel                             | 25'        | 54      | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 15'-2-1/8" | 7                 | 5    |     |  |
|                   | 12'           | GLCS-FS-4000-23 (S or AL)-103-14   | Steel                             | 20'        | 54      | 33-1/8 | 28-5/8 | 32-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 17'-0-1/8" | 7                 | 6    |     |  |
|                   | 12'           | GLCSL-FS-4000-23 (S or AL)-103-14  | Steel                             | 25'        | 54      | 33-1/8 | 30-5/8 | 34-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 17'-2-1/8" | 7                 | 5    |     |  |
| 12'               | 10'           | GLCSLX-FS-4000-23 (S or AL)-124-10 | Steel                             | 30'        | 54      | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 13'-4-1/8" | 6                 | 5    |     |  |
|                   | 10'           | GLCSLX-FS-4000-23 (S or AL)-124-12 | Steel                             | 30'        | 54      | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 15'-4-1/8" | 7                 | 5    |     |  |
|                   | 10'           | GLCSLX-FS-4000-23 (S or AL)-124-14 | Steel                             | 30'        | 54      | 33-1/8 | 32-5/8 | 36-3/4 | 21-1/8 | 15-1/8 | 38-1/2 | 25'-5-1/2" | 17'-4-1/8" | 7                 | 5    |     |  |

\*This column provides the total number of support assemblies based on the "L1" dimensions shown. Dimensions are for reference only and are subject to change without notice.

### FREE STANDING WORK STATION BRIDGE CRANES

| BRIDGE LENGTH (L) | RUNWAY LENGTH | TS                                | MODEL NUMBER                       | TRACK MAT. | RUNWAY  |        |        | BRIDGE |        |        |        |            | SUPPORT STRUCTURE |            |      |    |
|-------------------|---------------|-----------------------------------|------------------------------------|------------|---------|--------|--------|--------|--------|--------|--------|------------|-------------------|------------|------|----|
|                   |               |                                   |                                    |            | MAX. L1 | L7 in  | L8 in  | H3 in  | H3A in | H4 in  | L3 in  | L6 in      | OAW               | OAH        | D in | Sp |
| 34'               | 28'           | 10'                               | GLCSL-FS-4000-34 (S or AL)-28-10   | Steel      | 25'     | 13     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-4-1/2"        | 13'-6-1/8" | 6    | 2  |
|                   |               | 12'                               | GLCSL-FS-4000-34 (S or AL)-28-12   | Steel      | 25'     | 13     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 15'-6-1/8" | 7    | 2  |
|                   |               | 14'                               | GLCSL-FS-4000-34 (S or AL)-28-14   | Steel      | 25'     | 13     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 17'-6-1/8" | 7    | 2  |
|                   | 33'           | 10'                               | GLCS-FS-4000-34 (S or AL)-33-10    | Steel      | 20'     | 9      | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-4-1/2"        | 13'-4-1/8" | 6    | 3  |
|                   |               | 12'                               | GLCS-FS-4000-34 (S or AL)-33-12    | Steel      | 20'     | 9      | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 15'-4-1/8" | 7    | 3  |
|                   |               | 14'                               | GLCS-FS-4000-34 (S or AL)-33-14    | Steel      | 20'     | 9      | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 17'-4-1/8" | 7    | 3  |
|                   | 34'           | 10'                               | GLCSLX-FS-4000-34 (S or AL)-34-10  | Steel      | 30'     | 9      | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 13'-8-1/8" | 6    | 2  |
|                   |               | 12'                               | GLCSLX-FS-4000-34 (S or AL)-34-12  | Steel      | 30'     | 9      | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 15'-8-1/8" | 7    | 2  |
|                   |               | 14'                               | GLCSLX-FS-4000-34 (S or AL)-34-14  | Steel      | 30'     | 9      | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 17'-8-1/8" | 7    | 2  |
|                   | 43'           | 10'                               | GLCS-FS-4000-34 (S or AL)-43-10    | Steel      | 20'     | 13     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-4-1/2"        | 13'-4-1/8" | 6    | 3  |
|                   |               | 12'                               | GLCS-FS-4000-34 (S or AL)-43-12    | Steel      | 20'     | 13     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 15'-4-1/8" | 7    | 3  |
|                   |               | 14'                               | GLCS-FS-4000-34 (S or AL)-43-14    | Steel      | 20'     | 13     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 17'-4-1/8" | 7    | 3  |
|                   | 53'           | 10'                               | GLCS-FS-4000-34 (S or AL)-53-10    | Steel      | 20'     | 13     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-4-1/2"        | 13'-4-1/8" | 6    | 4  |
|                   |               | 10'                               | GLCSL-FS-4000-34 (S or AL)-53-10   | Steel      | 25'     | 13     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-4-1/2"        | 13'-6-1/8" | 6    | 3  |
|                   |               | 12'                               | GLCS-FS-4000-34 (S or AL)-53-12    | Steel      | 20'     | 13     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 15'-4-1/8" | 7    | 4  |
|                   |               | 12'                               | GLCSL-FS-4000-34 (S or AL)-53-12   | Steel      | 25'     | 13     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 15'-6-1/8" | 7    | 3  |
|                   |               | 14'                               | GLCS-FS-4000-34 (S or AL)-53-14    | Steel      | 20'     | 13     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 17'-4-1/8" | 7    | 4  |
|                   | 14'           | GLCSL-FS-4000-34 (S or AL)-53-14  | Steel                              | 25'        | 13      | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 47-1/2 | 36'-5-1/2" | 17'-6-1/8"        | 7          | 3    |    |
|                   | 63'           | 10'                               | GLCS-FS-4000-34 (S or AL)-63-10    | Steel      | 20'     | 19     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-4-1/2"        | 13'-4-1/8" | 6    | 4  |
|                   |               | 12'                               | GLCS-FS-4000-34 (S or AL)-63-12    | Steel      | 20'     | 19     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 15'-4-1/8" | 7    | 4  |
|                   |               | 14'                               | GLCS-FS-4000-34 (S or AL)-63-14    | Steel      | 20'     | 19     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 47-1/2     | 36'-5-1/2"        | 17'-4-1/8" | 7    | 4  |
|                   | 64'           | 10'                               | GLCSLX-FS-4000-34 (S or AL)-64-10  | Steel      | 30'     | 36     | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 13'-8-1/8" | 6    | 3  |
|                   |               | 12'                               | GLCSLX-FS-4000-34 (S or AL)-64-12  | Steel      | 30'     | 36     | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 15'-8-1/8" | 7    | 3  |
|                   |               | 14'                               | GLCSLX-FS-4000-34 (S or AL)-64-14  | Steel      | 30'     | 36     | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 17'-8-1/8" | 7    | 3  |
|                   | 78'           | 10'                               | GLCSL-FS-4000-34 (S or AL)-78-10   | Steel      | 25'     | 46     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-4-1/2"        | 13'-6-1/8" | 6    | 4  |
|                   |               | 12'                               | GLCSL-FS-4000-34 (S or AL)-78-12   | Steel      | 25'     | 46     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 15'-6-1/8" | 7    | 4  |
|                   |               | 14'                               | GLCSL-FS-4000-34 (S or AL)-78-14   | Steel      | 25'     | 46     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 17'-6-1/8" | 7    | 4  |
|                   | 83'           | 10'                               | GLCS-FS-4000-34 (S or AL)-83-10    | Steel      | 20'     | 46     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-4-1/2"        | 13'-4-1/8" | 6    | 5  |
|                   |               | 12'                               | GLCS-FS-4000-34 (S or AL)-83-12    | Steel      | 20'     | 46     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 15'-4-1/8" | 7    | 5  |
|                   |               | 14'                               | GLCS-FS-4000-34 (S or AL)-83-14    | Steel      | 20'     | 46     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 17'-4-1/8" | 7    | 5  |
|                   | 94'           | 10'                               | GLCSLX-FS-4000-34 (S or AL)-94-10  | Steel      | 30'     | 54     | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 13'-8-1/8" | 6    | 4  |
|                   |               | 12'                               | GLCSLX-FS-4000-34 (S or AL)-94-12  | Steel      | 30'     | 54     | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 15'-8-1/8" | 7    | 4  |
|                   |               | 14'                               | GLCSLX-FS-4000-34 (S or AL)-94-14  | Steel      | 30'     | 54     | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 17'-8-1/8" | 7    | 4  |
|                   | 103'          | 10'                               | GLCS-FS-4000-34 (S or AL)-103-10   | Steel      | 20'     | 54     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-4-1/2"        | 13'-4-1/8" | 6    | 6  |
|                   |               | 10'                               | GLCSL-FS-4000-34 (S or AL)-103-10  | Steel      | 25'     | 54     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-4-1/2"        | 13'-6-1/8" | 6    | 5  |
|                   |               | 12'                               | GLCS-FS-4000-34 (S or AL)-103-12   | Steel      | 20'     | 54     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 15'-4-1/8" | 7    | 6  |
|                   |               | 12'                               | GLCSL-FS-4000-34 (S or AL)-103-12  | Steel      | 25'     | 54     | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 15'-6-1/8" | 7    | 5  |
|                   |               | 14'                               | GLCS-FS-4000-34 (S or AL)-103-14   | Steel      | 20'     | 54     | 33-1/8 | 28-5/8 | 32-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 17'-4-1/8" | 7    | 6  |
|                   | 14'           | GLCSL-FS-4000-34 (S or AL)-103-14 | Steel                              | 25'        | 54      | 33-1/8 | 30-5/8 | 34-3/4 | 25-1/8 | 15-1/8 | 51-5/8 | 36'-5-1/2" | 17'-6-1/8"        | 7          | 5    |    |
|                   | 124'          | 10'                               | GLCSLX-FS-4000-34 (S or AL)-124-10 | Steel      | 30'     | 54     | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 13'-8-1/8" | 6    | 5  |
|                   |               | 12'                               | GLCSLX-FS-4000-34 (S or AL)-124-12 | Steel      | 30'     | 54     | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 15'-8-1/8" | 7    | 5  |
|                   |               | 14'                               | GLCSLX-FS-4000-34 (S or AL)-124-14 | Steel      | 30'     | 54     | 33-1/8 | 32-5/8 | 36-3/4 | 25-1/8 | 15-1/8 | 51-5/8     | 36'-5-1/2"        | 17'-8-1/8" | 7    | 5  |

\*This column provides the total number of support assemblies based on the "L1" dimensions shown. Dimensions are for reference only and are subject to change without notice.